

PROGETTO ESECUTIVO

STUDIO TECNICO


PROGETTAZIONE E CONSULENZE
IMPIANTI ELETTRICI E PREVENZIONE INCENDI

Per. Ind. SIMONE CECCATO

Via Pasubio 13/A 35012 Camposampiero (PD) Tel/Fax 049.9302668 Email info@studioceccato.it

Oggetto PROGETTO IMPIANTO ELETTRICO ILLUMINAZIONE ESTERNA
AREA DI PROCESSO E DI COMPOSTAGGIO

Elaborato ALLEGATO 2 - RELAZIONE ILLUMINOTECNICA
CERTIFICAZIONI L.R. 17/2009 APPARECCHI ILLUMINANTI



Cliente
Pellizzon Agriservice S.n.c.
Via Boschi 10
30030 Martellago (VE)

Ubicazione
Via Boschi 10
30030 Martellago (VE)

Firma e timbro



Firma committente

									Sigla elaborato
									A.2-R.IL
0	PRIMA EMISSIONE					29/12/2025	S.C.		
REV.		MODIFICA				DATA	FIRMA	SCALA	—
DATA	29/12/2025	ESEG.	S.C.	VISTO	F.S.	APPR.	S.C.	File	1661_ESE_A.2-R.IL-R0

Il presente documento ha validità solamente se firmato. Il progettista si riserva la proprietà di questo elaborato, vietandone la riproduzione, diffusione, distribuzione senza espressa autorizzazione, ai sensi della Legge 633 del 1941.

CITTA METROPOLITANA DI VENEZIA
Protocollo Arrivo N. 2821/2026 del 19-01-2026
Allegato 2 - Class. 12.8.0 - Copia Del Documento Firmato digitalmente



18 Ottobre 2024

Oggetto: dichiarazione di conformità alle seguenti leggi regionali:

Regione Abruzzo LR n°12 del 3 Marzo 2005
Regione Abruzzo LR n°12 del 6 Maggio 2011
Regione Basilicata LR n°41 del 10 Aprile 2000
Provincia Bolzano-Alto Adige LP n°4 del 21 Giugno 2011
Regione Campania LR n°12 del 25 Luglio 2002
Regione Emilia Romagna LR n°19 del 29 Settembre 2003
Regione Friuli Venezia Giulia LR n°15 del 18 Giugno 2007
Regione Lazio LR n°23 del 13 Aprile 2000
Regione Liguria LR n°22 del 29 Maggio 2007
Regione Lombardia LR n°17 del 27 Marzo 2000
Regione Lombardia LR n°38 del 21 Dicembre 2004
Regione Lombardia LR n°31 del 5 Ottobre 2015
Regione Marche LR n°10 del 24 Luglio 2002
Regione Molise LR n°2 del 22 Gennaio 2010
Regione Piemonte LR n°31 del 24 Marzo 2000
Regione Piemonte LR n°3 del 9 febbraio 2018
Regione Puglia LR n°15 del 23 Novembre 2005
Regione Sardegna LR n°2 del 29 Maggio 2007
Regione Sardegna DGR n°48/31 del 29 Novembre 2007
Regione Toscana LR n°37 del 21 Marzo 2000
Regione Toscana LR n°39 del 24 Febbraio 2005
Provincia di Trento LP n°16 del 3 Ottobre 2007
Regione Umbria LR n°20 del 28 Febbraio 2005
Regione Valle D'Aosta LR n°17 del 28 Aprile 1998
Regione Veneto LR n°17 del 7 Agosto 2009

La società: **Signify Italy S.p.A.** dichiara sotto la propria responsabilità che gli apparecchi illuminanti sotto elencati sono conformi alle leggi regionali in oggetto in quanto:

- in particolare, come evidenziano i dati fotometrici rilasciati dai nostri laboratori, in formato tabellare numerico cartaceo e sotto forma di files eulmdat, gli apparecchi, se installati con un angolo meccanico di elevazione di 0° (TILT=0°), presentano un'intensità luminosa massima, approssimata all'intero, di 0 cd per 1000 lumen a 90° e oltre.
- gli apparecchi hanno la percentuale di flusso luminoso emesso nell'emisfero superiore dello 0% (approssimato all'intero) del flusso totale emesso dalla sorgente, se installati con un angolo meccanico di elevazione di 0° (TILT=0°)
- gli apparecchi sono equipaggiati con lampada/e o led ad avanzata tecnologia ed elevata efficienza luminosa
- le sorgenti degli apparecchi hanno una efficienza luminosa superiore a 80lm/Watt
- gli apparecchi presentano un rendimento superiore al 60%
- i rilievi fotometrici effettuati sugli apparecchi sotto elencati sono veritieri



Signify Italy S.p.A.
Carlos Alberto Loscalzo
Amministratore Delegato

Signify Italy S.p.A. (a socio unico)
Tel: +39 02.91946.1

<https://www.signify.com/it-it>

Sede Legale e amministrativa: Viale Sarca n. 235, 20126, Milano
Capitale Sociale: Euro 10.200.000 i.v.
Codice Fiscale - Partita IVA - Iscrizione Registro delle Imprese di Milano n. 04149320154
R.E.A. Milano n. 990923
Società soggetta ad attività di direzione e coordinamento di Signify Holding B.V.
Iscrizione registro RAEE: n. IT08020000003470



Lab Information & Certification

Lab Information

Test standards

EN 13032-4:2015	Light and lighting. Measurement and presentation of photometric data of lamps and luminaires. Part 4: LED lamps, modules and luminaires
EN 13032-1:2014	Light and lighting. Measurement and presentation of photometric data of lamps and luminaires. Part 1: Measurement and file format
IEC 62717:2014+AMD1:2015	LED modules for general lighting - performance requirements
IES LM-79-08	IES Approved Method: Electrical and Photometric Measurements of Solid-State Lighting Products
IEC / EN 62722-1:2014	Luminaire performance - Part 1: General requirements
IEC / EN 62722-2-1:2014	Luminaire performance - Part 2-1: Particular requirements for LED luminaires

Test equipment

LMT GO-DS 2000 Goniometer (C/G)	☐
Yokogawa WT3000 power analyzer	☐
Chroma 6415 programmable AC source	☐
Agilent 6675A system DC power supply	☐
Integrating sphere U-101-A	☐
EM TEST NetWave3 AC/DC source	☐
FLUKE Norma 4000 power analyzer	☐
Sonopan L-100 luxmeter	☐
Gigahertz X1-3 hazard lightmeter	☐
Gigahertz XD-45-HB-4 Head	☐
Gigahertz XD-45-HUV-4 head	☐

MEASUREMENT UNCERTAINTIES

Type of test	Uncertainties
Luminous flux	+/- 2.2 %
Power	+/- 0.5 %
Imax	+/- 2.2 %
Beam angle of Imax	+/- 0.1°
Ambient temperature 0-50°C	+/- 0.1°C


 Signed off by
 Dariusz Pierzchanowski

DISCLAIMER: This photometry report is compiled based on real measurement done in Signify Laboratories during development and release of new products and calculation data pulled from PPS web-based tool and internal data. The values present in this report may differ from real values measured for specific product, but not more than +/- 11 % on power and +/- 7 % on lumen.

F-128/13

CERTIFICATE

Ref.No. SMT/CTF-3/0001/3/2018

Supervised Manufacturers' Testing SMT Customer's Testing Facility CTF - Stage 3

It is hereby confirmed that the laboratory

Laboratory of Quality
Philips Lighting Poland Sp. z o.o. Piła
O/Kętrzyn, ul. Chrobrego 8, 11-400 Kętrzyn
POLAND

is authorized by ITE PREDOM Division to perform testing
for the certified body ITE PREDOM Division in the framework ENEC, ENEC+,
CCA agreements, IECEE CB Scheme and national certification
for the products and standards as referred in the Appendix to this certificate and
under conditions as mentioned in the Contract No. SMT/01/12 dated 10.10.2012
This procedure is fully in accordance with the following operational documents
IECEE OD-2048
OD ECS 035

The technical competence of the laboratory
has been checked according to
EN ISO/IEC 17025:2005

the proof has been given in the assessment carried out by ITE PREDOM Division
This certificate is valid if the laboratory observes the requirements of the above mentioned standard and Operational Documents
and under conditions of the Contract No. No. SMT/01/12 dated 10.10.2012

Manager of Certification Office
ITE PREDOM Division


Joanna Walczak-Złotkowska

Deputy Director of ITE PREDOM Division


Aleksander Piotrowski

Warsaw, 2018-11-28



Instytut Technologii Elektronowej Oddział PREDOM
Institute of Electron Technology PREDOM Division
ul. Krakowiaków 53, 02-255 WARSZAWA, POLSKA - POLAND

CITTA METROPOLITANA DI VENEZIA
Protocollo Arrivo N. 2821/2026 del 19-01-2026
Allegato 2 - Class. 12.8.0 - Copia Del Documento Firmato Digitalmente



F-1280/13

APPENDIX TO CERTIFICATE

SMT/CTF-3/0001/3/2018

Supervised Manufacturers' Testing SMT Customer's Testing Facility CTF - Stage 3

List of products
for which the Laboratory of Quality Philips Lighting Poland Sp. z o.o. Pila O/Kętrzyn
is authorized to perform testing
for ITE PREDOM Division as a certification body in the framework
ENEC an CCA agreements and IEC CB Scheme

CATEGORY	PRODUCTS*)	STANDARDS**)		
		For ENEC and CCA	For IEC CB Scheme	For national certification
LITE	Fixed general purpose luminaires	EN 60598-1 EN 60598-2-1	IEC 60598-1 IEC 60598-2-1	EN 60598-1 EN 60598-2-1
LITE	Recessed luminaires	EN 60598-1 EN 60598-2-2	IEC 60598-1 IEC 60598-2-2	EN 60598-1 EN 60598-2-2
LITE	Luminaires for road and street lighting	EN 60598-1 EN 60598-2-3	IEC 60598-1 IEC 60598-2-3	EN 60598-1 EN 60598-2-3
LITE	Floodlights	EN 60598-1 EN 60598-2-5	IEC 60598-1 IEC 60598-2-5	EN 60598-1 EN 60598-2-5
LITE	Luminaires for emergency lighting	EN 60598-1 EN 60598-2-22	IEC 60598-1 IEC 60598-2-22	EN 60598-1 EN 60598-2-22
LITE	Luminaires with limited surface temperatures	EN 60598-1 EN 60598-2-24	IEC 60598-1 IEC 60598-2-24	EN 60598-1 EN 60598-2-24
LITE	LED modules for general lighting	EN 62031	IEC 62031	EN 62031
LITE (ENEC+)	LED modules for general lighting	EPRS 001/ IEC 62717	-	-
LITE (ENEC+)	Luminaires	EPRS 002 / IEC 62722-1	-	-
LITE (ENEC+)	LED Luminaires	EPRS 003/ IEC 62722-1	-	-
LITE	Lamp and luminaires	-	-	EN 13032-1
LITE	Lamp and luminaires	-	-	EN 13032-2
LITE	Lamp and luminaires	-	-	EN 13032-3
LITE	LED lamps, modules and luminaires	-	-	EN 13032-4
LITE	Solid-State Lighting Products	-	-	LM-79

*) - Name and address of manufacturing place of the products: Philips Lighting Poland Sp. z o.o. Pila, ul. Kossaka 150, O/Kętrzyn
ul. Chrobrego 8, 11-400 Kętrzyn, Poland

**) - newest edition of the standards/documents

Manager of Certification Office
ITE PREDOM Division

Joanna Walczak-Zlotkowska

Deputy Director of ITE PREDOM Division

Aleksander Piotrowski

Warsaw, 2018-11-28

Instytut Technologii Elektronowej Oddział PREDOM
Institute of Electron Technology PREDOM Division
ul. Krakowiaków 53, 02-255 WARSZAWA, POLSKA - POLAND



Apparecchi oggetto della presente certificazione:

- | | |
|----------------------------------|--------|
| • PHILIPS Luma gen2 Nano | BGP701 |
| • PHILIPS Luma gen2 Micro | BGP702 |
| • PHILIPS Luma gen2 Mini | BGP703 |
| • PHILIPS Luma gen2 Mini Compact | BGP713 |
| • PHILIPS Luma gen2 Medium | BGP704 |
| • PHILIPS Luma gen2 Large | BGP705 |

- | | |
|----------------------|--------|
| • PHILIPS Luma Micro | BGP615 |
| • PHILIPS Luma Mini | BGP621 |
| • PHILIPS Luma 1 | BGP623 |
| • PHILIPS Luma 2 | BGP625 |
| • PHILIPS Luma 3 | BGP627 |

- | | |
|-------------------------------|--------|
| • PHILIPS Iridium gen4 Mini | BGP501 |
| • PHILIPS Iridium gen4 Medium | BGP502 |

- | | |
|------------------------|--------|
| • PHILIPS Iridium gen3 | BGP381 |
| • PHILIPS Iridium gen3 | BGP382 |
| • PHILIPS Iridium gen3 | BGP383 |

- | | |
|------------------------|--------|
| • PHILIPS Iridium gen2 | BGP352 |
| • PHILIPS Iridium gen2 | BGP353 |

- | | |
|--------------------------------|--------|
| • PHILIPS Digistreet Micro | BGP760 |
| • PHILIPS Digistreet Mini | BGP761 |
| • PHILIPS Digistreet Medium | BGP762 |
| • PHILIPS Digistreet Large | BGP763 |
| • PHILIPS Digistreet Catenary | BTP764 |
| • PHILIPS Digistreet Suspended | BSP764 |

- | | |
|---------------------------------|--------|
| • PHILIPS Unistreet gen2 Nano | BGP280 |
| • PHILIPS Unistreet gen2 Micro | BGP281 |
| • PHILIPS Unistreet gen2 Mini | BGP282 |
| • PHILIPS Unistreet gen2 Medium | BGP283 |
| • PHILIPS Unistreet gen2 Large | BGP284 |

- | | |
|----------------------------------|--------|
| • PHILIPS Lumistreet gen2 Nano | BGP290 |
| • PHILIPS Lumistreet gen2 Micro | BGP291 |
| • PHILIPS Lumistreet gen2 Mini | BGP292 |
| • PHILIPS Lumistreet gen2 Medium | BGP293 |
| • PHILIPS Lumistreet gen2 Large | BGP294 |



• PHILIPS Lumistreet Pro gen2 Nano	BGP390
• PHILIPS Lumistreet Pro gen2 Micro	BGP391
• PHILIPS Lumistreet Pro gen2 Mini	BGP392
• PHILIPS Lumistreet Pro gen2 Medium	BGP393
• PHILIPS Lumistreet Pro gen2 Large	BGP394
• PHILIPS Unistreet Mini	BGP202
• PHILIPS Unistreet Small	BGP203
• PHILIPS Unistreet Medium	BGP243
• PHILIPS Unistreet Large	BGP204
• PHILIPS Lumistreet	BGP213
• PHILIPS Lumistreet	BGP214
• PHILIPS Clearway gen2	BGP307
• PHILIPS Clearway	BGP303
• PHILIPS AluRoad gen2 Mini	BGP020
• PHILIPS AluRoad gen2 Medium	BGP025
• PHILIPS Coreline Malaga LED	BRP101 / BRP102
• PHILIPS CitySoul gen2	BGP53x
• PHILIPS CitySoul gen2	BPP53x
• PHILIPS CitySoul gen2	BRP53x
• PHILIPS CitySoul gen2	BSP53x
• PHILIPS MileWide ²	BxP435
• PHILIPS MileWide ² Large	BxP436
• PHILIPS UrbanFlex Micro	BxP729
• PHILIPS UrbanFlex Small	BxP730 – BPP732
• PHILIPS Copenhagen LED gen2 Mini	BDS559 / BPR559
• PHILIPS Copenhagen LED gen2 Small	BDS561 / BRS561 / BSS561
• PHILIPS Copenhagen LED gen2 Large	BDS562 / BRS562 / BSS562
• PHILIPS Copenhagen LED gen2 Mega	BDS563 / BRS563 / BSS563



• PHILIPS Copenhagen LED	BDS441 / BRS441 / BSS441 BDS443 / BRS443 / BSS443
• PHILIPS CityMood	BSP672 / BSP673
• PHILIPS ClassicStreet • PHILIPS ClassicStreet • PHILIPS ClassicStreet • PHILIPS ClassicStreet	BDP794 FG BPP794 FG BSP794 FG BVP794 FG
• PHILIPS Villa LED gen2 • PHILIPS Villa LED gen2	BDP768 FG BSP768 FG
• PHILIPS TownTune Simmetrico • PHILIPS TownTune Asimmetrico • PHILIPS TownTune Lyre	BDP260 / BDP262 / BDP263 BDP265 / BDP267 / BDP268 BDP270 / BDP272 / BDP273
• PHILIPS Townguide Performer	BDP105 PCC
• PHILIPS Quebec	BRP776 FG
• PHILIPS ArenaVision LED • PHILIPS ArenaVision LED ottiche: A65-NB; A55-NB	BVP417 / BVP427 BVP418 / BVP428
• PHILIPS OptiVision LED • PHILIPS OptiVision LED ottiche: A65-NB; A55-NB	BVP517 / BVP527 BVP518 / BVP528
• PHILIPS ClearFlood • PHILIPS ClearFlood Large • PHILIPS Clearflood gen2	BVP650 BVP651 BVP655 / BVP656 / BVP657
• PHILIPS Coreline Tempo Small gen2 • PHILIPS Coreline Tempo Medium • PHILIPS Coreline Tempo Large • PHILIPS Coreline Tempo X-Large	BVP111 BVP125 BVP130 BVP140



-
- | | |
|--------------------------------|--------|
| • PHILIPS Coreline Tempo Small | BVP110 |
| • PHILIPS Coreline Tempo | BVP120 |
-
- | | |
|--|--------|
| • PHILIPS OptiVision | MVP507 |
| lampade: MHN-LA1kW/842, MHN-LA2kW/842, MHN-FC2kW/740 | |
| ottiche: WB, MB, NB | |
-
- | | |
|-----------------------|--------|
| • PHILIPS SunStay PRO | VGP725 |
|-----------------------|--------|
-
- | | |
|-------------------------|--------|
| • PHILIPS SunStay Gen 1 | BRP710 |
|-------------------------|--------|
-
- | | |
|---------------------------|----------------|
| • PHILIPS Unistreet Solar | VGP282, VGP283 |
|---------------------------|----------------|
-



Ottiche Philips Optiperfect :

di seguito la lista delle ottiche disponibili con gli apparecchi di illuminazione precedentemente elencati e che risultano conformi alle Leggi Regionali oggetto della presente dichiarazione :

M classes- extra narrow									
DN09	DN25	DN26							
M classes - narrow									
DN10	DN11								
M classes - medium									
DM10	DM11	DM12	DM13	DM65					
M classes - wide & extra wide									
DW10	DW65	DX10	DX65						
C classes									
DN50	DM50	DM52	DW50	DW52	DX50	DX51	DX52	DS50	DS51
sport & area									
DX60	OFA52								
railway									
DRN1	DRN2	DRM1	DRM2	DRXN0	DRXN1				
wet road									
DM30	DM31	DW30							
comfort									
DN33	DM32	DM33							
facial recognition									
DM70	DX70								
light trespass									
optic+BL1	optic+BL2								
catenary - narrow to medium									
DSN09	DSN10	DSN50	DSM1	DSM2					
catenary - large road									
DSM11	DSM12	DSWI	DSWI0						
catenary - facial recognition									
DSM70									
catenary - wet road									
DSM31									
pedestrian crossing									
DPR1	DPL1								